

> [Linux Reviews](#) > [Software guides](#) > [IRC - How to join the worlds biggest communications network, how to hide your identity with a BNC and how to stay in touch with IM contacts using a IRC client](#) >

Irssi quickstart guide

v1.0.1 (en), xiando

A quick guide to the basic features of irssi, a powerfull consolebased irc client.

1. [What is irssi?](#)
 2. [Installation](#)
 3. [The command shortcuts](#)
 4. [Make your own /aliases](#)
 5. [Tell users who /msg you that you are away:](#)
 6. [Window management](#)
 7. [Paste the output of programs to a channel](#)
 8. [Stats based on irssi logs](#)
 9. [Links to more information about irssi](#)
-

1. What is irssi?

[irssi](#) is a very good text-based irc client. It can be used in any terminal.

2. Installation

Irssi follows the general Linux installation steps (./configure, make, make install).

Gentoo Linux: `emerge irssi`

3. The command shortcuts

Use the shortcuts for commonly used commands.

<code>/j kde,gnome</code>	<code>(/join #kde,#gnome)</code>	Join a channel
<code>/c</code>	<code>(/clear)</code>	Clear the window
<code>/c -all</code>	<code>(/clear -all)</code>	Clear all windows
<code>/wi nickname</code>	<code>(/whois)</code>	View information about nickname
<code>/pa</code>	<code>(/part)</code>	Leave a channel
<code>/m</code>	<code>(/msg)</code>	Send a private message

/al	(/alias)	View available aliases/shortcuts
/al X	(/alias X)	Aliases/shortcuts beginning with X

4. Make your own /aliases

You can easily make your own aliases for commonly used commands and remarks:

```
/alias linuxfriends /me has a few good friends. man, info, /usr/doc, tlpd & google.
```

The command

```
/linuxfriends
```

will now tell the channel that

jonny has a few good friends. man, info, /usr/doc, tlpd, & google.

To make the alias use text (variables) used together with the alias, use \$X:

```
/alias hipeople /me waves to $0 $1 $2 **
```

```
/hipeople jon mary jane
```

jonny waves to jon mary jane

To tell the channel what Gentoo Linux package contains program X:

```
/alias whatpackage /exec -o qpkg -f -nc ``which $0 2>/dev/null | awk '{print "$*="$${1}';``
```

```
/whatpackage epsxe
```

epsxe=app-emulation/epsxe

Some aliases are important

```
/alias help! say This will probably help you with your problem, $0:  
http://www.kyra.ath.cx/~meow/clue.txt
```

```
/help! roger
```

//jonny This will probably help you with your problem, roger: <http://www.kyra.ath.cx/~meow/clue.txt> //

To view very good examples of useful aliases, type:

```
/al uptime
```

```
UPTIME eval exec - expr date +%s - \${F} | awk '{print "Irssi uptime:"int(\\\$1/3600/24)"d  
"int(\\\$1/3600%24)"h "int(\\\$1/60%60)"m"int(\\\$1%60)"s" }'
```

```
/al calc
```

CALC exec - if which bc &>/dev/null; then echo '\$' | bc | awk '{print "\$*="\$\${1}}\'; else echo bc was not found;\fi*

Add **-o** to exec to tell the world about the output.

```
/alias cao exec -o echo '$*' | bc | awk '{print "$*="$${1}}'\
```

Do remember to

```
/save
```

your aliases..

Bonus : The /set variables are tab-completable

5. Tell users who /msg you that you are away:

```
/set show_away_once ON
```

This setting makes Irssi /msg your away message set by

```
/away sleeping
```

to people who /msg you while you are away.

-!- yournick is away: sleeping

is what users who /msg you while away get.

Do not forget to

```
/save
```

your settings!

6. Window management

Window management is easy and done with the keyboard.

Alt+# to switch between windows (Alt+1 for Window 1, Alt+2 for Windows 2 etc). Use *qwerty* for window numbers higher than 10 (and 0 for 10). The modifier key may differ depending on your shell/terminal. If Alt+# does not work, try **Esc+#** (openbsd).

Alt-left/right move between the channels in a window. *This works in KDEs konsole and aterm, but not in xterm.*

Irssi quickstart guide (Linux Reviews)

Alt+up/down moves between the window tabs. *This works in KDEs konsole and aterm, but not in xterm.*

Use **alt+a** to change to the next *active* window (where someone has uttered a word)

To make a new window:

```
/window new
```

Use the shortcut:

```
/win new
```

You can move the current channel with:

```
/win m u (/window move up)
```

```
/win m d (/window move down)
```

You can resize a window with:

```
/win gr 5 (/window grow #)
```

```
/win shr 5 (/window shrink #)
```

Use `/win #` where `#` is the window number to jump directly to a window:

```
/win 11
```

To close a window:

```
/win c (/window close)
```

This actually parts the channel but only closes the window if you have no other channels open in it. So usually it will be the same as `/part`:

```
/pa (/part)
```

To get some nice information about the current window, just type:

```
/win
```

You can save your window settings so your windows are restored the next time you start irssi:

```
/layout save
```

7. Paste the output of programs to a channel

To execute a command in `link:irssi`, just do:

```
/exec program
```

Add `-o` to paste the output to the current channel:

```
/exec -o ls /pub/
```

8. Stats based on irssi logs

[irssistats](#) is a tool that generates IRC stats based on irssi logs.

- [irssistats-0.51.tar.gz](#) (40K)

There are also two stat programs based on irssistats available:

- [nudelstats](#)
- [irCstats](#)

[piscg](#) (Perl IRC Statistics Generator) can also make nice stats based on irssi (and most other) logs.

9. Links to more information about irssi

- [Irssi Homepage](#)
- [The top reasons why you should use irssi](#)
- [Irssi Documentation Wiki](#)
- [irssi scripts archive](#)
- [David Leadbeaters Irssi Script Archive](#)
- [perl irssiscripts](#)
- [more perl irssiscripts](#)
- [Juerds Irssi page](#)
- [Debian cvs-irssi for unstable Debian](#)
- [Penguin Breeder Perl-Scripts for the Irssi IRC Client](#)
- [ninja RedHat stable RPMs](#)
- <http://irssi.atn.pl> some irssi stuff like scripts and slackware packages
- [Jean-Yves Lefort irssi's page](#)
- [debian irssi-scripts](#)
- [Polish page with scripts](#)
- <http://ratings.irssi.de> Irssi scripts rated
- [Irssi Themes Rating Page](#)
- [wouter.coekaerts.be a nice page about irssi](#)
- [jamesoffs irssipages](#)

Copyright (c) 2000-2004 [Øyvind Sæther](#). Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "[GNU Free Documentation License](#)".

Irssi quickstart guide (Linux Reviews)

> [Linux Reviews](#) > [Software guides](#) > [IRC - How to join the worlds biggest communications network, how to hide your identity with a BNC and how to stay in touch with IM contacts using a IRC client](#) > Irssi quickstart guide